

RECREATION GROUND

	Tree No	Tree Tag	Diameter at Breast Height (dbh)	Species	Tree survey and tree Officer comments	Survey Works Required
1	T001	101	75 cm	English Oak	The tree has low branches over play equipment and major deadwood located in the crown. Given the target area this should be addressed.	Remove major deadwood. Crown raise to 4 metres. Remove all arisings.
2	T003	103	24 cm	Rowan	The tree appears to be in a poor physiological condition, with deadwood starting to accumulate.	Fell. Remove all arisings.
3	T005	105	57 cm	False Acacia	The tree has a large amount of deadwood present in the upper canopy. Poor main union point at 1 metre where the tree bifurcates with decay present.	Fell (over drive to hospital and farm).Remove all arisings.
4	TD1		20 cm	Sycamore	Lots of small dead wood over drive to farm and hospital. Two low branches completely dead. Some leaves in crown.	Fell. Remove all arisings.
5	TD2		40 cm	Sycamore	Fairly poor crown. Dark staining on N side of stem. Bark peels away revealing black blobs about 2 -3 mm diameter. At base, black blobs in cracks in bark. Looks like brittle cinder fungus (<i>Kretschmaria/Ustulina deusta</i>). Over path to Parish Office.	Fell. Remove all arisings.
6	TD3		25 cm, 15 cm	Probably ash	Ivy, no leaves. Leans over drive to hospital and farm.	Fell. Remove all arisings.

7	TD4	3601, 0037	70 - 100 cm	False acacia	Very burry, 4-stemmed from 2 m. Poor crown, but not dead. Pale yellow fungus on burr and on cracks in bark on N. side (photo). Also black stain on main stem. A lot of compost at the base: the tree base may also be rotting. Could fall on drive to hospital and farm or on path to office door.	Pollard at 4 m. Remove all arisings.
8	TD6	0039	40 cm, 35 cm, 30 cm	Sycamore	3-stemmed with bird box. Big black patches on largest stem where bark has peeled off. Has sooty bark disease. Few leaves, small leaves. Over path to Parish Office.	Fell. Remove all arisings.
9	TD7		10 cm	Sycamore	No leaves (November), only seeds on branches. Ivy. Leans over drive. Stumps of branches cut back from drive in the past have black staining. Close to fence to drive.	Sever ivy and reinspect
10	TD8		25 cm	Oak	Planted tree in guard. Healthy. Over paving and benches. Crown lift to allow people to walk underneath, and to remove lower branches which are growing through the adjacent netting. By disabled parking bay, benches and paving.	Crown lift to 2 metres. Remove all arisings.
11	TD9		100 cm	Sycamore	Minor dead wood over exercise equipment. By sports courts.	Remove Dead-wood. Remove all arisings.